ECAT Computer Science Chapter 13 Fundamentals of C Language

Sr	Questions	Answers Choice
1	A stream is associated with a file using an _____ operation	A. Association B. Attach C. Link D. Open
2	On successfully closing a file, the fclose() returns:	A. Null B. 0 (zero) C. 1 (one) D. File pointer
3	Which of the following characters is used to mark the end of the string	A. \0 B. /0 C. \a D. \n
4	If programs get input data from data file and also send output into data file, it is called	A. Files B. File processing C. Data files D. File Handling
5	Which of the following function is used to write a string to a file?	A. puts() B. putc() C. fputs() D. fget()
6	Which of the following functions is used to write a string to a file	A. Puts() B. Putc () C. Fputs () D. Fqets()
7	In file handling, sequence of characters refers to _____	A. Text stream B. File stream C. Binary stream D. Character stream
8	There are _____ types of streams	A. 1 B. 2 C. 3 D. Many
9	A file is stored in?	A. RAM B. Hard disk C. ROM D. Cache
10	If fptr = fopen ("Dats.txt". "r") statement is used to open a file then what would be the necessary condition	A. The file must already exist B. The file should be data file only C. The file must contain valid student data D. The type of file must be read only
11	Which of the following functions is used to write character to a file	A. Putc () B. puts () C. fputs () D. fgets ()
12	Which mode opens only an existing file for both reading and writing	A. "W" B. "W+" C. "r+" D. "a+"
13	Which of the following functions is used to copy a string to an array characters/	A. Strcpy B. Strpcy C. Strycp D. Copy
14	Which of the following is/ are file handling functions	A. fprintf() B. fscanf ( ) C. Both A and B D. Make ()
15	A file is stored in	A. RAM B. Hard Disk C. ROM

		D. Cache
16	Which of the following functions is used to read character from a file	A. getc () B. putc () C. fputs () D. fgets ()
17	An array script should be:	A. Int B. Float C. Double D. An array
18	In text stream, character have _____ correspondence	A. One to One B. Ont to many C. Many to One D. All of above
19	An array script should be	A. Int B. Float C. Double D. An array
20	On, successfully closing a file, the fclose () returns	A. Null B. 0 C. 1 D. FILE pointer